	Application No.	Applicant(s)
Notice of Allowability		
	10/721,564 Examiner	BARTH, KARL Art Unit
	Examiner	Artonit
	Seyed Azarian	2624
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>5/17/2007</u> .		
2. The allowed claim(s) is/are 1.3-9 and 11-13 now renumbered as 1-11.		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. ☑ Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
,		x-
	·	
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	
3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. Examiner's Amendr	
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	
•		•

Application/Control Number: 10/721,564 Page 2

Art Unit: 2624

Response to Amendment

1. Based on applicant's amendment, filed 5/17/2007, see page 5 through page 9, of the remarks, with respect to cancellation of claims 2 and 10, and amended independent claim 1, have been fully considered and are persuasive, upon further consideration the rejection of 102(a) and 103(a) for claims 1, 3-9 and 11-13, are hereby withdrawn.

The claims 1, 3-9 and 11-13, now renumbered as 1-11 are allowed.

Drawings

2. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because the drawing filed on 4/3/2004 are subject to correction of informalities indicated on previous office action. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

REASONS FOR ALLOWANCE

3. The following is an examiner's statement of reasons for allowance.

This invention relates generally, to method for surface contouring of a three-dimensional image of a subject.

Application/Control Number: 10/721,564

Art Unit: 2624

Based on applicant's amendment, claim 1, the closest prior art of record (Gupta) reference teaches "a method for modeling three-dimensional anatomical structures, wherein an initial model has a number of image planes proceeding there through, and (Fenster) reference teaches "three-dimensional ultrasound system wherein the ultrasound probe is moved over the target volume, and signals representing the reflected ultrasound waves are supplied to a computer wherein successive two-dimensional images of the target volume are reconstructed". But neither Gupta nor Fenster teach or suggest, among other things, "placing a set of planes through the three-dimensional image, the planes of the set of planes intersecting in a straight line and being at respectively different rotational angles around said straight line, determining contours that are imaged in each of the planes of the planes and that are associated with a surface contour of the three-dimensional image, and combining the contours determined in each plane of the first set of

Page 3

These key features in combination with the other features of the claimed invention are neither taught nor suggested by (Gupta and Fenster) prior art of record.

planes into a surface grid associated with the surface contour of the three-dimensional image".

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance".

Contact Information

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Seyed Azarian whose telephone number is (571) 272-7443. The examiner can normally be reached on Monday through Thursday from 6:00 a.m. to 7:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Bella, can be reached at (571) 272-7778. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application information Retrieval (PAIR) system. Status information for published application may be obtained from either Private PAIR or Public PAIR.

Status information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Seyed Azarian
Patent Examiner
Group Art Unit 2624
July 31, 2007

Sejul sypcism